

Karina YELLOW PVC COMPOUND 450-DA-02/21-ATB

Polyvinyl Chloride
Karina Ind. e Com. de Plásticos Ltda

Message:
NON TOXIC PVC COMPOUND FREE OF PHTHALIC PLASTICIZERS RECOMMENDED FOR INJECTION MOLDING OF TOYS FOR CHILDREN WITH LESS THAN 3 YEARS OF AGE. ALSO RECOMMENDED FOR INJECTION OF PACIFIER NIPPLE.

General Information			
Features	Non-Toxic		
Uses	Pacifiers		
	Toys		
Appearance	Yellow		
Processing Method	Injection Molding		
Physical	Nominal Value	Unit	Test Method
Specific Gravity ¹	1.09 to 1.15	g/cm ³	ASTM D792
Color	OK		ME 12
Color a	-13.5 to -10.5		ME 12
Color b	37.4 to 40.4		ME 12
Color L	85.1 to 88.1		ME 12
Tear Resistance	> 15.0	kN/m	DIN 53507
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore A, 15 sec)	43 to 47		ASTM D2240
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength	> 5.88	MPa	ASTM D638
Tensile Elongation (Yield)	> 300	%	ASTM D638
NOTE			
1.	24 hr		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT