

Thermoset Plastics 211

Epoxy; Epoxide

Thermoset, Lord Chemical Products

Message:

Thermoset Plastics 211 is an Epoxy; Epoxide (Epoxy) material. It is available in North America. Primary attribute of Thermoset Plastics 211: Good Adhesion. Typical applications include:
Adhesives/Tapes
Tools

General Information			
Features	Good Adhesion		
	Machinable		
Uses	Adhesives		
	Molds/Dies/Tools		
Forms	Paste		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.83	g/cm ³	ASTM D1895
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore D)	65		ASTM D2240
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	15.9	MPa	ASTM D638
Flexural Strength (Yield)	26.9	MPa	ASTM D790
Compressive Strength	27.6	MPa	ASTM D695
Thermoset	Nominal Value	Unit	
Thermoset Components			
	Mix Ratio by Volume: 1.0		
Hardener	Mix Ratio by Weight: 1.0		
	Mix Ratio by Weight: 1.0		
Resin	Mix Ratio by Volume: 1.0		
Demold Time (25°C)	240 to 480	min	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

