NaturePlast PBE 003 BB

Thermoplastic Polyester

NaturePlast

Message:

Biopolyesters commercialized by Natureplast are thermoplastic resins 100% biodegradable and compostable in agreement with standards in use. Biopolyesters can also be partially biobased.

These biopolyesters can be processed on standard equipments.

Markets: bagging, film, food processing industry packaging, cosmetics, horticulture, medical, technical parts...

Properties

Translucency, processing easiness.

Performances close to polyolefins (PE and PP) in terms of thermal and mechanical properties.

38% biobased

General Information

Features	Biodegradable				
	Compostable				
	Renewable Resource Content				
Uses	Bags				
	Cosmetics				
	Engineering Parts				
	Film				
	Food Packaging				
	Lawn and Garden Equipment				
	Medical/Healthcare Applications				
Appearance	Translucent				
Forms	Pellets				
Processing Method	Extrusion Blow Molding				
	Film Extrusion				
	Sheet Extrusion				
	Thermoforming				
Physical	Nominal Value	Unit	Test Method		
Density	1.27	g/cm³	ISO 1183		
Melt Mass-Flow Rate (MFR)	3.0	g/10 min	ISO 1133		
Mechanical	Nominal Value	Unit	Test Method		
Tensile Modulus	780	MPa	ISO 527-2		
Tensile Strain (Break)	330	%	ISO 527-2		
Impact	Nominal Value	Unit	Test Method		
Charpy Unnotched Impact Strength	No Break		ISO 179		
Thermal	Nominal Value	Unit	Test Method		

Heat Deflection Temperature (0.45 MPa,					
Unannealed)	89.0	°C	ISO 75-2/B		
Additional Information	Nominal Value	Unit			

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

