

TABOND 5008

Polypropylene Copolymer

SILON s.ro

Message:

Tabond 5008 is a chemically modified Polypropylene copolymer. Its functional groups improve considerably the bonding between polar polymers, metals and glass.

General Information			
Features	Copolymer		
	Durable		
	Good Adhesion		
Uses	Adhesives		
	Bonding		
	Metal Bonding		
	Plastics Modification		
Appearance	White		
Forms	Pellets		
Processing Method	Coextrusion		
Physical	Nominal Value	Unit	
Density	0.895	g/cm³	
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	150	g/10 min	
Thermal	Nominal Value	Unit	Test Method
Melting Temperature	134	°C	DSC

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT