Jackdaw PP EW26BL6447

Polypropylene

Jackdaw Polymers

Message:

Jackdaw PP EW26BL6447 is a Polypropylene product. It is available in Europe. Primary characteristic: uv stabilized.

General Information			
Additive	UV Stabilizer		
Appearance	Blue		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.08	g/cm³	ASTM D792, ISO 1183
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Break)	21.0	MPa	ASTM D638, ISO 527-2
Tensile Elongation (Break)	3.0	%	ASTM D638, ISO 527-2
Flexural Modulus	1700	MPa	ASTM D790, ISO 178
Flexural Stress			
	36.0	MPa	ISO 178
Break	36.0	MPa	ASTM D790
Thermal	Nominal Value	Unit	Test Method
Deflection Temperature Under Load ((1.8		
MPa, Unannealed)	85.0	°C	ASTM D648, ISO 75-2/A
Peak Melting Temperature	185	°C	ASTM D2117, ISO 1218

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

