

VESTOLIT® P 1430 K 90 Ultra

Polyvinyl Chloride Homopolymer

VESTOLIT GmbH & Co. KG

Message:

VESTOLIT P 1430 K 90 Ultra is a paste forming homopolymer which is suitable for producing low viscosity pastes with almost Newtonian flow and good storage stability.
This product was developed for low-plasticiser content pastes e.g. mat, transparent top coats, which are particularly suitable for use in CV floor covering top coats.

General Information			
Features	Good Flow		
	Good Stability		
	High Clarity		
	Homopolymer		
	Low Viscosity		
Uses	Coating Applications		
	Fabric Coatings		
	Film		
	Flooring Maintenance/Repair		
Appearance	Clear/Transparent		
	Matte Finish		
Forms	Paste		
Processing Method	Casting		
	Coating		
	Dip Coating		
	Film Extrusion		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.35	g/cm ³	ISO 60
K-Value	90.0		ISO 1628-2
Viscosity Number (Reduced Viscosity)	227.0	ml/g	ISO 1628
pH	6.0		ISO 1264
Sieve Analysis ¹	< 1.0	%	ISO 1624
Viscosity - Paste			
-- ²	2.50	Pa · s	
-- ³	3.00	Pa · s	
Water Content ⁴	< 0.30	%	DIN 53715
NOTE			

1.	0.063 mm sieve
2.	1.5 s/1
3.	45 s/1
4.	Karl Fisher

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

