Beamset 1402

Acrylic

Arakawa Chemical Industries, Ltd.

Message:

This resin is a photo-curable resin that quickly and three-dimensionally cures by radical polymerization that occurs with electron beam (EB) or ultraviolet ray (UV) irradiation. This resin has

been used widely for various applications.

Type:

Multifunctional acrylate

Characteristics:

Anti-pollution

Easy to wipe pollution

Excellent hardness

Quick cure

Use:

Hard coatings

| General Information | | | |
|------------------------|-----------------------------|------|--|
| Features | Fast Cure | | |
| | High Hardness | | |
| | | | |
| Uses | Coating Applications | | |
| Appearance | Transparent - Slight Yellow | | |
| Forms | Liquid | | |
| Additional Information | Nominal Value | Unit | |
| Non-Volatile Content | 90 | % | |
| Uncured Properties | Nominal Value | Unit | |
| Viscosity (25°C) | 0.60 to 1.2 | Pa·s | |

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

