Wuxi Jiahong EB-208K

Polyvinyl Chloride

Wuxi Jiahong Plastics Technology CO., Ltd.

Message:

The products are used for color containers blown or extruded, such as cosmetic containers, or other purposes. They possess fair surface polish. Food containers have compliant certificates.

Features of Product:

Applicable to blowing mold or extrusion; used for hollow containers; the products possess fair surface polish and high falling impact strength, as well as longer mold-cleaning cycle.

Product Purpose:

Pearlyte granules used for blowing mold or extrusion, applicable to pearlyte containers smaller than 300 ml.

| General Information | | | |
|-----------------------------|-----------------------------|-------|-----------------|
| Features | Impact resistance, high | | |
| | Compliance of Food Exposure | | |
| | | | |
| Uses | Cosmetics | | |
| | Container | | |
| | Food container | | |
| | | | |
| Appearance | Light Blue | | |
| | Clear/transparent | | |
| | | | |
| Forms | Particles | | |
| Processing Method | Blow molding | | |
| | Extrusion | | |
| | | | |
| Physical | Nominal Value | Unit | Test Method |
| Specific Gravity | 1.25 - 1.35 | g/cm³ | Internal method |
| Vinyl Content | | ppm | GB/T 5009 |
| Volatile Matter | | % | GB/T 2918 |
| Falling Dart Impact | | % | Internal method |
| Mechanical | Nominal Value | Unit | Test Method |
| Tensile Strength | > 45.0 | МРа | Internal method |
| Thermal | Nominal Value | Unit | Test Method |
| Vicat Softening Temperature | > 72.0 | °C | GB/T 1633 |

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

