

# MTEGRITY™ PP Random Copolymer RP800

Polypropylene Random Copolymer

M. Holland Company

Message:

MTEGRITY™PP Random Copolymer RP800 is a polypropylene random copolymer (PP random copolymer) product. It can be processed by injection molding and is available in North America. MTEGRITY™The application areas of PP Random Copolymer RP800 include home applications and containers. Features include:  
Copolymer  
Antistatic  
Transparency

General Information			
Additive	Antistatic property		
Features	Antistatic property		
	Random copolymer		
	Medium transparency		
Uses	Household goods		
	Container		
Forms	Particle		
Processing Method	Injection molding		
Physical	Nominal Value	Unit	Test Method
Density	0.900	g/cm <sup>3</sup>	ASTM D1505
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	80	g/10 min	ASTM D1238
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	31.0	MPa	ASTM D638
Flexural Modulus	1100	MPa	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact (23°C)	48	J/m	ASTM D256
Additional Information			

Drop Impact: 150 in-lbs

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519  
Phone: +86 13424755533  
Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

