

TPC PVC SG660

Polyvinyl Chloride Homopolymer
Thai Plastics and Chemicals Public Company Limited

Message:
Polyvinyl Chloride Homopolymer having medium molecular weight, produced by Suspension Polymerization Process.

General Information			
Features	Homopolymer		
	Medium Molecular Weight		
Uses	Agricultural Applications		
	Clear Sheet		
	Fabrics		
	Film		
	Flooring		
	Footwear		
	Hose		
	Piping		
	Plugs		
	Profiles		
	Sheet		
	Stretch Wrap		
	Toys		
	Wire & Cable Applications		
Processing Method	Calendering		
	Extrusion		
	Film Extrusion		
	Injection Molding		
	Profile Extrusion		
	Sheet Extrusion		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.50 to 0.56	g/cm ³	ISO 60
K-Value	65.0 to 67.0		DIN 53726
Sieve Analysis			ASTM D1921
-- 1	> 90	%	
-- 2	< 2.0	%	
Volatile Matter	< 0.30	%	ISO 1269
Impurities	< 20.0	specks/100 sq.	ISO R 1265

NOTE

- | | |
|----|------------------------|
| 1. | Retained on 75 micron |
| 2. | Retained on 250 micron |

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

