

Daploy™ WB135HMS

Polypropylene Homopolymer

Borealis AG

Message:

Daploy WB135HMS is a structurally isomeric modified propylene homopolymer.
It is a long chain branched homopolymer

General Information			
Features	Foamable		
	Good Processability		
	High Stiffness		
	Homopolymer		
	Recyclable Material		
Uses	Automotive Applications		
	Automotive Under the Hood		
	Carpet Backing		
	Containers		
	Film		
	Foam		
	Food Packaging		
	Insulation		
	Liners		
	Sheet		
Forms	Pellets		
Processing Method	Foam Extrusion		
Physical	Nominal Value	Unit	Test Method
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	2.4	g/10 min	ISO 1133
Mechanical	Nominal Value	Unit	Test Method
Tensile Modulus	2000	MPa	ISO 527-2
Fill Analysis	Nominal Value	Unit	Test Method
Melt Extensibility	250	mm/sec	Internal Method
Melt Strength	32.0	cN	Internal Method

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

