

SolVin 557RB

Polyvinyl Chloride Copolymer

INOVYN

Message:

Polyvinyl chloride copolymer made by suspension polymerisation.

APPLICATIONS:

Rigid sheets, thermoformed sheets.

Blisters.

Deep draw thermoforming.

PROCESSING TECHNIQUES:

Calendering.

General Information	
Features	Copolymer
	Suspension Polymers
Uses	Sheet
Forms	Pellets
Processing Method	Calendering
	Thermoforming

Physical	Nominal Value	Unit	Test Method
Apparent Density	0.55	g/cm ³	ISO 60
K-Value	57.0		ISO 1628-2
Vinyl Acetate Content	11.0	wt%	Internal Method
Sieve Analysis			ISO 1624
-- 1	> 70	%	
-- 2	< 1.5	%	
Volatile Matter	< 0.30	%	ISO 1269
Residual Vinyl Chloride Monomer	< 1	ppm	ISO 24538

NOTE	
1.	Retained on 0.063 mm sieve
2.	Retained on 0.180 mm sieve

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

