## Vinnolit® C 12/62 V

Polyvinyl Chloride Alloy

Vinnolit GmbH & Co. KG

## Message:

Vinnolit C 12/62 V is a copolymeric extender resin having a high vinyl acetate content which has been specially developed for paste making. In blends with paste-making PVC resins, it combines the good viscosity-reducing properties of the homopolymer paste extender resins with the lower gelling temperatures typical of vinyl acetate copolymers.

General Information			
Uses	Blending		
Agency Ratings	EC 1907/2006 (REACH)		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.65	g/cm³	ISO 60
K-Value	62.0		ISO 1628-2
Viscosity Number (Reduced Viscosity)	95.0	ml/g	ISO 1628
Vinyl Acetate Content	12.0	wt%	
Particle Size Distribution <sup>1</sup>	< 0.50	%	ISO 4610
Volatile Matter	< 0.50	%	ISO 1269
NOTE			

1. retained on 0.100 mm screen

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

