

# Magnobond 87

Epoxy; Epoxide  
Magnolia Plastics, Inc.

Message:  
Magnobond 87 is an Epoxy; Epoxide (Epoxy) product. It is available in North America. Typical application: Foam. Primary characteristic: heat resistant.

General Information			
Features	High Heat Resistance		
	Thixotropic		
Uses	Foam		
Forms	Liquid		
Physical	Nominal Value	Unit	Test Method
Density	0.803	g/cm <sup>3</sup>	ASTM D1505
Water Absorption (24 hr)	0.12	%	ASTM D570
Mechanical	Nominal Value	Unit	Test Method
Compressive Strength	92.4	MPa	ASTM D695
Thermoset	Nominal Value	Unit	
Thermoset Components			
Hardener	Mix Ratio by Weight: 8.0		
Resin	Mix Ratio by Weight: 100		
Demold Time (25°C)	1400	min	
Post Cure Time (93°C)	2.0	hr	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material


Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT