

Tygon SE-200

Polyvinyl Chloride
Saint Gobain - Norton

Message:

Tygon SE-200 is a Polyvinyl Chloride product. It is available in North America. Applications of Tygon SE-200 include food contact applications, medical/healthcare and hose/tubing.

- Characteristics include:
- Low to No Odor/Taste
 - Chemical Resistant
 - Clarity
 - Good Flexibility

General Information			
Features	Good Chemical Resistance		
	Good Flexibility		
	High Clarity		
	Low to No Odor		
	Low to No Taste		
	Low Toxicity		
Uses	Food Service Applications		
	Medical Devices		
	Tubing		
Agency Ratings	FDA 21 CFR 177.2600		
	USP Class VI		
Appearance	Clear/Transparent		
Forms	Tubing		
Hardness	Nominal Value		Test Method
Durometer Hardness (Shore A)	67		ASTM D2240
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	13.8	MPa	ASTM D638
Tensile Elongation (Break)	350	%	ASTM D638
Thermal	Nominal Value	Unit	Test Method
Continuous Use Temperature	82.2	°C	ASTM D794
Brittleness Temperature	-40.0	°C	ASTM D746

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

