

# Mylar® D (500 guage)

Polyethylene Terephthalate

DuPont Teijin Films U.S.

## Message:

Mylar® D (500 guage) is a Polyethylene Terephthalate (PET) product. It is available in North America. Applications of Mylar® D (500 guage) include coating applications, electrical/electronic applications and film.

Characteristics include:

Clarity

Slip

General Information			
Additive	High Slip		
Features	High Clarity		
	High Slip		
Uses	Film		
	Glazing		
	Membrane Touch Switches		
Forms	Film		
Physical	Nominal Value	Unit	Test Method
Density	1.39	g/cm <sup>3</sup>	ASTM D1505
Mechanical	Nominal Value	Unit	Test Method
Coefficient of Friction (vs. Itself - Static)	0.40		ASTM D1894
Films	Nominal Value	Unit	Test Method
Film Thickness - Tested	120	µm	
Tensile Strength - MD (Yield)	193	MPa	ASTM D882
Optical	Nominal Value	Unit	Test Method
Transmittance	90.0	%	ASTM D1003
Haze	0.50	%	ASTM D1003

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

### Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT