

Absylux® FR

Acrylonitrile Butadiene Styrene

Westlake Plastics Company

Message:

Absylux ABS is a low cost engineering plastic that is easy to machine and fabricate. Absylux is an ideal material for structural applications when impact resistance, strength, and stiffness are required. It is widely used for machining pre-production prototypes since it has excellent dimensional stability and is easy to paint and glue. Natural (beige) and black Absylux are FDA compliant for use in food processing applications.

Applications Include:

Machined prototypes

Structural components

Support blocks

Housings

Covers

Advantages of Absylux:

Excellent impact resistance

Good machinability

Excellent aesthetic qualities

Easy to paint and glue

Good strength and stiffness

Low cost

General Information	
Features	Food Contact Acceptable
	Good Dimensional Stability
	Good Stiffness
	Good Strength
	High Impact Resistance
	Machinable
	Paintable
	Pleasing Surface Appearance
Uses	Housings
	Protective Coverings
	Structural Parts
Agency Ratings	FDA Food Contact, Unspecified Rating
Appearance	Beige
	Black
	Natural Color
	White
Forms	Film
	Rod
	Sheet
	Slab

Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.19	g/cm ³	ASTM D792
Hardness	Nominal Value	Unit	Test Method
Rockwell Hardness (R-Scale)	100		ASTM D785
Mechanical	Nominal Value	Unit	Test Method
Tensile Modulus	2210	MPa	ASTM D638
Tensile Strength (Yield)	38.1	MPa	ASTM D638
Flexural Modulus	2070	MPa	ASTM D790
Flexural Strength (Yield)	60.7	MPa	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact (23°C)	210	J/m	ASTM D256
Thermal	Nominal Value	Unit	Test Method
Deflection Temperature Under Load (1.8 MPa, Unannealed)	72.8	°C	ASTM D648
Flammability	Nominal Value		Test Method
Flame Rating			UL 94
1.59 mm	V-0		
2.49 mm	5VA		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

