

Escor™ 5070

Ethylene Acrylic Acid Copolymer Resin

ExxonMobil Chemical

Message:

Escor 5070 is an ethylene acrylic acid copolymer with high melt index and 9% (mass fraction) acrylic acid comonomer composition. Escor 5070 combines simple processability and adhesion to polar materials. It can be used for outdoor use and has UV stability.

General Information			
Physical	Nominal Value	Unit	Test Method
Acrylic Acid Content	9.0	wt%	ExxonMobil Method
Thermal	Nominal Value	Unit	Test Method
Vicat Softening Temperature	74.0	°C	ASTM D1525
Legal statement			

有关潜在食品接触应用合规信息(例如:FDA,EU,HPFB),请与埃克森美孚化工客户服务代表联系.本产品不宜在医疗应用中使用,亦不应在任何此类应用中使用

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

