MIDILENA III PPJ1300

Polypropylene Homopolymer

ROMPETROL PETROCHEMICALS S.R.L.

Message:

MIDILENA III PPJ1300 is a Polypropylene Homopolymer (PP Homopolymer) product. It can be processed by injection molding and is available in Europe. Typical application: Engineering/Industrial Parts.

Characteristics include:

Antioxidant Homopolymer

| General Information | | | |
|---------------------------------------|-------------------|----------|-------------|
| Additive | Antioxidant | | |
| | Halogen | | |
| | | | |
| Features | Antioxidant | | |
| | Halogenated | | |
| | Homopolymer | | |
| | | | |
| Uses | General Purpose | | |
| | Thin-walled Parts | | |
| | | | |
| Forms | Pellets | | |
| Processing Method | Injection Molding | | |
| Physical | Nominal Value | Unit | Test Method |
| Density | 0.910 | g/cm³ | ISO 1183 |
| Melt Mass-Flow Rate (MFR) (230°C/2.16 | | | |
| kg) | 36 | g/10 min | ISO 1133 |

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

