

KRATON® D3226 DI

Styrene Butadiene Styrene Block Copolymer

Kraton Polymers LLC

Message:

Kraton D3226 DI is an easy processing material designed for a wide variety of applications. It is supplied from North America in the physical form identified below.

Kraton D3226 DI - supplied as a natural color pellet.

General Information			
Uses	Compounding		
	General Purpose		
Appearance	Natural Color		
Forms	Pellets		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.03 to 1.07	g/cm ³	Internal Method
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	10 to 20	g/10 min	Internal Method
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore A)	38 to 52		Internal Method

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

