

Viton® A-700

Fluoroelastomer

DuPont Performance Elastomers

Message:

Viton® A- 700 is a fluororubber (Fluorelastomer) product. It can be processed by compression molding, calendering or injection molding, and is available in North America or Europe. Viton®The application fields of A- 700 include engineering/industrial accessories and sealing applications. The main characteristics are: chemical resistance.

General Information	
Features	Solvent resistance
Uses	Washer
	Seals
Forms	Particle
Processing Method	Compression molding
	Calendering
	Injection molding

Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.82	g/cm ³	ASTM D792
Elastomers	Nominal Value	Unit	Test Method
Compression Set (200°C, 70 hr)	11	%	ASTM D395

Additional Information

Nominal Viscosity, ML 1 + 10, 121°C: 70Polymer Fluorine Content: 66%

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

