

HIPOLEN P® MA 31

Polypropylene Homopolymer

HIPOL A.D.

Message:

HIPOLEN P®MA 31 is a polypropylene homopolymer (PP Homopoly) product. It can be processed by injection molding and is available in Africa and the Middle East or Europe. Typical application areas are: kitchen utensils. The main characteristics are: high liquidity.

General Information			
Features	High liquidity		
Uses	Kitchen utensils		
	General		
Forms	Particle		
Processing Method	Injection molding		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	0.900	g/cm ³	ASTM D792
Melt Mass-Flow Rate (MFR) (230°C/1.2 kg)	16	g/10 min	ASTM D1238
Mechanical	Nominal Value	Unit	Test Method
Tensile Elongation (Break)	31	%	ASTM D638
Flexural Modulus	1100	MPa	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact (23°C)	40	J/m	ASTM D256
Additional Information			

Thermo Stability, 150°C: 350 hrs

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

