# Delta ATL-2PT20 -UV

### Acetal (POM) Copolymer

**Delta Polymers** 

### Message:

Delta ATL-2PT20 -UV is an Acetal (POM) Copolymer product filled with 10% ptfe fiber. It is available in North America. Characteristics include:

Flame Rated

Good UV Resistance

General Information			
Filler / Reinforcement	PTFE Fiber,10% Filler by Weight		
Features	Good UV Resistance		
Forms	Pellets		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.45	g/cm³	ASTM D792
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	61.4	MPa	ASTM D638
Flexural Modulus	2620	MPa	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact (23°C)	37	J/m	ASTM D256
Flammability	Nominal Value		Test Method
Flame Rating	НВ		UL 94

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

#### Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

