

Comai 663-3 BA

Linear Low Density Polyethylene

Comai Ltda

Message:

Comai 663-3 BA is a Linear Low Density Polyethylene product filled with 20% calcium carbonate. It can be processed by extrusion and is available in Latin America. Applications of Comai 663-3 BA include additive/masterbatch and bags/liners. Primary characteristic: antioxidant.

General Information			
Filler / Reinforcement	Calcium Carbonate,20% Filler by Weight		
Additive	Antioxidant		
	Titanium Dioxide (TiO2) (50%)		
Features	Antioxidant		
Uses	Bags		
	Plastics Modification		
Forms	Pellets		
Processing Method	Extrusion		
Physical	Nominal Value	Unit	Test Method
Melt Mass-Flow Rate (MFR)	20	g/10 min	ASTM D1238

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT