

Sinpolene MBB1232

Polyethylene

Teknor Apex Asia Pacific PTE. LTD.

Message:

SINPOLENE MBB 1232 is a highly pigmented and high jetness universal black masterbatch specifically designed for injection moulding and extrusion of polypropylene, polystyrene, ABS and SAN.

SINPOLENE MBB 1232 is delivered as free-flowing pellets for processing convenience. It is packed in 25 kg bags. The product should be stored in dry place.

SINPOLENE MBB 1232 has uniform dispersion and offers high colouring value and UV light protection.

General Information			
Features	Recyclable materials		
Uses	Composite		
	Masterbatch		
Agency Ratings	UL 94 HB.E136018		
RoHS Compliance	RoHS compliance		
Appearance	Black		
Forms	Particle		
Processing Method	Composite		
	Injection molding		

Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.18	g/cm ³	ASTM D792
Melt Mass-Flow Rate (MFR) (190°C/10.0 kg)	< 15	g/10 min	ASTM D1238
Carbon Black Content	45	%	ASTM D1603
Moisture Content		%	ASTM D3030

Additional Information

Recommended dosage: 1 - 3%

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT