Hostalen ACP 7740 F3

High Density Polyethylene

LyondellBasell Industries

Message:

Hostalen ACP 7740 F3 is a High Density Polyethylene product. It can be processed by blown film and is available in Europe. Applications of Hostalen ACP 7740 F3 include adhesives/tapes, agricultural, film and straps/ropes.

Characteristics include:

Copolymer

Good Processability

High Strength

General Information						
Features	Copolymer Good Processability High Elongation High Tensile Strength					
				Narrow Molecular Weight Distribution		
	Uses	Agricultural Applications				
Film						
Netting						
Strapping						
Таре						
Processing Method	Blown Film					
Physical	Nominal Value	Unit	Test Method			
Density	0.951	g/cm³	ISO 1183			
Melt Mass-Flow Rate (MFR)			ISO 1133			
190°C/21.6 kg	17	g/10 min				
190°C/5.0 kg	1.6	g/10 min				
Extrusion	Nominal Value	Unit				
Melt Temperature	180 to 230	°C				

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

