

# Procon C2166 BK100

Linear Low Density Polyethylene

Pier One Polymers, Inc.

## Message:

Procon C2166 BK100 is a Linear Low Density Polyethylene material. It is available in North America for injection molding. Primary attribute of Procon C2166 BK100: Carbon Black.

Typical application of Procon C2166 BK100: Additive/Masterbatch

General Information			
Additive	Carbon Black (50%)		
Uses	Color Concentrates		
Appearance	Black		
Forms	Pellets		
Processing Method	Injection Molding		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.77	g/cm <sup>3</sup>	ASTM D1895
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	20	g/10 min	ASTM D1238
Carbon Black Content	50	%	ASTM D1603

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

### Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

