

Pujie CPE-135A

Chlorinated Polyethylene

Zhanhua Pujie Chemical Technology Co.,Ltd

Message:

CPE-135A is general impact modifier with high molecular weight, superior mechanical performance; General impact modifier for rigidplastic products.

General Information	
Features	High molecular weight
Uses	Piping system
	Doors and Windows
	Sheet
	Plastic modification

Physical	Nominal Value	Unit	Test Method
Apparent Density	> 0.50	g/cm ³	ASTM D1895
Chlorine Content	34.0 - 36.0	wt%	
Sieve Residue - 40 Mesh	> 98	%	
Heat of Fusion		J/g	
Impurities		pcs/50 g	
Whiteness - E457	> 90.0	°	
Volatiles		%	
Thermal Decomposition Temperature	> 170	°C	

Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore A)	< 58		

Mechanical	Nominal Value	Unit
Tensile Strength	> 8.00	MPa
Tensile Elongation (Break)	> 700	%

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT