

Valtec HS020FM

Polypropylene Homopolymer

INDELPRO, S.A. de C.V.

Message:

Valtec is the new controlled morphology polypropylene manufactured by Indelpro using the Spheripol process. Compared to ordinary pelletized polypropylene, Valtec could present advantages in terms of improved productivity, better processing and lower energy consumption. Valtec HS020FM is a homopolymer particularly suitable for compounding and extrusion of bioriented film (BOPP). The base resin in this product meets the requirements of the U.S. Food and Drug Administration (FDA) contained in the Code of Federal Regulations in 21 CFR 177.1520.

General Information			
Features	Food Contact Acceptable		
	Good Processability		
	Homopolymer		
	Opticals		
Uses	Bi-axially Oriented Film		
	Compounding		
	Film		
Agency Ratings	FDA 21 CFR 177.1520		
Forms	Pellets		
Processing Method	Bi-axially Oriented Film		
	Compounding		
	Film Extrusion		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	0.900	g/cm ³	ASTM D792
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	3.6	g/10 min	ASTM D1238
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Yield)	39.0	MPa	ASTM D638
Tensile Elongation (Yield)	11	%	ASTM D638
Flexural Modulus	1730	MPa	ASTM D790
Impact	Nominal Value	Unit	Test Method
Notched Izod Impact (23°C)	30	J/m	ASTM D256A
Thermal	Nominal Value	Unit	Test Method
Deflection Temperature Under Load (0.45 MPa, Unannealed)	103	°C	ASTM D648

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT