# Sympoxy<sup>™</sup> 1426FR/2

### Epoxy; Epoxide

Hapco Inc.

#### Message:

Sympoxy<sup>™</sup> 1426FR/2 is an Epoxy; Epoxide (Epoxy) product. It is available in North America. Characteristics include: Flame Rated Heat Resistant

General Information			
Features	High Heat Resistance		
Forms	Liquid		
Physical	Nominal Value	Unit	
Specific Gravity	1.59	g/cm³	
Hardness	Nominal Value	Unit	
Durometer Hardness (Shore D)	85		
Thermal	Nominal Value	Unit	Test Method
Thermal Conductivity	1.1	W/m/K	ASTM C177
Flammability	Nominal Value		Test Method
Flame Rating	V-0		UL 94
Thermoset	Nominal Value	Unit	
Thermoset Components			
Part A	Mix Ratio by Weight: 100		
Part B	Mix Ratio by Weight: 13		
Thermoset Mix Viscosity	6000	сР	
Additional Information	Nominal Value	Unit	
	High temperature		

Cure Temperature	Room temperature	
Temperature Range	130	°C

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

#### Recommended distributors for this material

## Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

