

Vinnolit® VK 710

Polyvinyl Chloride Alloy

Vinnolit GmbH & Co. KG

Message:

Vinnolit VK 710 is a free-flowing powder produced by graft polymerization of vinyl chloride onto polyacrylate (ACR). The product contains roughly 50 % ACR. Vinnolit VK 710 is a thermoplastic elastomer (TPE). It combines the positive properties of PVC with those of rubber.

General Information			
Agency Ratings	EC 1907/2006 (REACH)		
Forms	Powder		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.65	g/cm³	ISO 60
ACR Content	50	%	
Particle Size Distribution			ISO 4610
-- 1	> 70	%	
-- 2	< 0.50	%	
Volatile Matter	< 0.50	%	ISO 1269
NOTE			
1.	retained on 0.063 mm screen		
2.	retained on 0.500 mm screen		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT