

# Sungbo HI-LENE F-850

Thermoplastic

Sungbo Co., Ltd.

Message:

Sungbo ‘s HI-LENE F-850 is a product manufactured from an automated extruder. This allows for a smooth surface and excellent permeability when extruded. Moreover, pollutants are minimized when incinerated or covered by landfill, and the speed of light decomposition of this environmentally friendly product can be adjusted with the mixing ratio. It is an exceptional product with outstanding printability, coolability and shock resistance that increases production and reduces costs.

General Information			
Filler / Reinforcement	Calcium Carbonate,86% Filler by Weight		
Additive	Unspecified Additive (2%)		
Features	Excellent Printability		
	Shock Resistant		
Uses	Agricultural Applications		
	Bags		
	Film		
	Industrial Applications		
	Masterbatch		
	Packaging		
Forms	Pellets		
Processing Method	Extrusion		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	2.09	g/cm <sup>3</sup>	ASTM D792
Melt Mass-Flow Rate (MFR)	30	g/10 min	ASTM D1238
Moisture Content	430	ppm	ASTM D570
pH	9.0		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT