

NuSil MED-400

Silicone

NuSil Technology

Message:

NuSil Technology's restricted materials may be considered for use in short-term implant applications, 29 days or less, or for external applications. Fluids are non-curing, stable silicone polymers typically used as lubricants. Fluids are available in a variety of viscosities. Depending on the viscosity, fluids can be applied by spraying, dipping, wiping, or brushing. For optimal performance, the chemistry of the fluid should not match the chemistry of the substrate being lubricated. If unsure of the compatibility of the substrate and lubricant, contact the supplier of each material for assistance. Because they are so dynamic, fluids can be adapted to perform well in a wide array of projects.

Comments: FLUOROSILICONE POLYMER

General Information	
Features	Hydrophobic
Uses	Medical/Healthcare Applications
Agency Ratings	USP Class VI
Forms	Liquid
Processing Method	Dip Coating Spraying

Uncured Properties	Nominal Value	Unit
Density	1.26	g/cm ³
Viscosity	0.35 to 100	Pa·s

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT