

Nipol® 2507H

Latex
Zeon Corporation

Message:

Latex of styrene-butadiene copolymer (SB latex)
Characteristics
High styrene-butadiene latex. Blend with SBR to adjust toughness.
High concentration with improved stability.
Applications
Shoe materials (impregnated), and battery separators.
Non-woven fabrics (synthetic leather), and fiber treatment such as shoe materials.

General Information			
Features	Copolymer		
Uses	Fabrics		
	Fibers		
	Footwear		
	Nonwovens		
	Synthetic Leather		

Physical	Nominal Value	Unit	
Solution Viscosity	20	mPa · s	
Average Particle Size	250	nm	
pH	10.0		
Surface Tension	35	mN/m	
Total Solids	52	%	

Thermal	Nominal Value	Unit	Test Method
Glass Transition Temperature	58.0	°C	DSC

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT