

NOVAPOL® TI-0338-A

Linear Medium Density Polyethylene

NOVA Chemicals

Message:

NOVAPOL® TI-0338-A is a Linear Medium Density Polyethylene material. It is available in North America for film extrusion.

Important attributes of NOVAPOL® TI-0338-A are:

Antioxidant

Food Contact Acceptable

Hexene Comonomer

Typical applications include:

Additive/Masterbatch

Food Contact Applications

General Information			
Additive	Antioxidant		
Features	Antioxidant		
	Food Contact Acceptable		
	Good Flow		
	Hexene Comonomer		
Uses	Blending		
	Masterbatch		
Agency Ratings	FDA 21 CFR 177.1520(c) 3.2a		
Processing Method	Film Extrusion		
Physical	Nominal Value	Unit	Test Method
Specific Gravity	0.938	g/cm ³	ASTM D792
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	3.5	g/10 min	ASTM D1238
Crystallinity	56	%	Internal Method
Thermal	Nominal Value	Unit	Test Method
Melting Temperature	129	°C	Internal Method
Peak Crystallization Temperature (DSC)	114	°C	Internal Method

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT