

# NANTEX® 758Q

Acrylonitrile Butadiene Rubber

Nantex Industry Co., Ltd.

## Message:

NANTEX® 758Q is a heat sensitive carboxylated methamethyl acrylate-butadiene rubber latex. It is mostly suitable for the non-woven and artificial leathers application.

### FEATURES:

Provides excellent heat sensitivity.

Gelling temperature of the latex compound can be easily adjusted to meet different weather conditions.

Easy compounding due to good mechanical and chemical stability.

Excellent aging and heat resistance.

Excellent abrasion resistance.

Good storage stability.

### APPLICATION:

Binder for non-woven fabrics and artificial leather substrate.

General Information		
Features	Good Abrasion Resistance	
	High Heat Resistance	
Uses	Nonwovens	
	Synthetic Leather	
Forms	Pellets	
Physical	Nominal Value	Unit
pH (25°C)	7.3	
Total Solids	45	%
Viscosity (25°C)	20	mPa·s

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

### Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

