

INEOS PP 101-ZB25

Polypropylene Homopolymer
INEOS Olefins & Polymers Europe

Message:

Polypropylene - Homopolymer.
Benefits & Features
101-ZB25 is a polypropylene homopolymer grade fibre grade with a nominal MFR of 25. It has a medium to narrow MWD which makes it suitable for high speed spinning processes.
Non yellowing / anti-gasfading
Good processability
High degree of cleanliness
Low catalyst residues
Applications
Industrial Spunbond Nonwovens.

General Information			
Features	Pure/High Purity		
	Homopolymer		
	Resistance to gas fading		
	Workability, good		
	Medium wide molecular weight distribution		
Uses	Spunbond nonwoven fabric		
	Industrial application		
	Fiber		
RoHS Compliance	Contact manufacturer		
Forms	Particle		
Processing Method	Fiber (spinning) extrusion		
Physical	Nominal Value	Unit	Test Method
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	25	g/10 min	ISO 1133
Thermal	Nominal Value	Unit	Test Method
Melting Temperature ¹	160	°C	ISO 11357-3
NOTE			
1.	DSC 2nd heating, 10°C/min		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

