

Ketjenflex® MH

Plasticizer Additive

Axcentive SARL

Message:

KETJENFLEX® MH is a toluene sulfonamide based plasticizing co-resin used in Nail lacquers, Coatings, Adhesives and Inks.

Description and Application

KETJENFLEX® MH is the most widespread plasticizing resin for nitrocellulose based nail lacquers. KETJENFLEX® MH imparts improved adhesion and wear properties and generally provides the lacquer system with a shiny glossy appearance.

KETJENFLEX® MH can also be used as plasticizing resin in solvent borne coating and ink formulations. Here KETJENFLEX® MH acts as non-migratory plasticizing co-resin improving adhesion and gloss of the system.

Applications:

Nail lacquers

Nitrocellulose coatings

Cellulose acetate formulations

Polyamid based systems

Epoxy based coatings and adhesives

Printing inks

General Information		
Additives Physical	Nominal Value	Unit
Density	1.35	g/cm ³
Additive Concentration	> 100	%
State at Room Temperature	Solid	
Chemical Description	Toluene Sulfonamide	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

