# Zeoforte® ZSC2295L

### Acrylonitrile Butadiene Rubber

#### Zeon Corporation

#### Message:

Zeoforte Zeon Super Composite ("ZSC") is a nanotechnology polymer alloy obtained by highly dispersing zinc polymethacrylate in Zetpol, a hydrogenated NBR that exhibits excellent resistance to heat and oil. When cross-linked with organic peroxide, it forms a rubber-like elastic body with extremely high fracture strength. With superior strength and resistance to heat and oil, ZSC is useful in an extensive range of applications that require its unique characteristics.

Characteristics and applications

Low Mooney version of ZSC 2295 for improved processing.

General Information		
Features	res Good Abrasion Resistance	
	Good Tear Strength	
	High Heat Resistance	
	High Strength	
	High Tensile Strength	
	Oil Resistant	
Uses	Belts/Belt Repair	
	Footwear	
Physical	Nominal Value	Unit
Specific Gravity	1.24	g/cm³
Mooney Viscosity	75	MU
Hardness	Nominal Value	Unit
Durometer Hardness (Shore A)	95	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

# Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

