Shin-Etsu Elastomer FE-401U

Fluorosilicone

Shin-Etsu Silicones of America

Message:

Shin-Etsu FE-401 U is a fluorosilicone/silicone blend. It is designed to process well in molding applications. - Good fuel and oil resistance.

| General Information | | |
|--|--------------------|-------|
| Features | Solvent resistance | |
| | Workability, good | |
| | Fuel resistance | |
| | | |
| Physical | Nominal Value | Unit |
| Specific Gravity | 1.31 | g/cm³ |
| Hardness | Nominal Value | Unit |
| Durometer Hardness | 48 | |
| Elastomers | Nominal Value | Unit |
| Tensile Strength | 11.0 | MPa |
| Additional Information | Nominal Value | |
| Cure Agent | DCP-40 | |
| Press Cure / Post Cure ⁻ Post | | |

Press Cure / Post Cure: Post

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

