

LG PVC PA1302

Polyvinyl Chloride Copolymer

LG Chem Ltd.

Message:

PA1302, vinyl chloride copolymer with vinyl acetate exhibits excellent properties. It is easy to process and gives effective flow.

General Information			
Features	Excellent Printability		
Uses	Adhesives		
	Automotive Applications		
	Film		
	Sheet		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.30 to 0.40	g/cm ³	ASTM D1895
K-Value	70.0		ISO 1628-2
Fill Analysis	Nominal Value	Unit	Test Method
Brookfield Viscosity ¹	4.00 to 20.0	Pa·s	ASTM D1824
Sever Viscosity ²	> 600.00	g/10 min	ASTM D1823
Degree of Polymerization (30°C)	1200 to 1300		JIS K6720-2
VAC Contents	2.0 to 4.0	%	ISO 1159
Volatiles - 1 hr (110°C)	< 3.0	%	ASTM D3030
NOTE			
1.	DOP 60		
2.	DOP 60		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT