

# Beamset EL-2

Acrylic

Arakawa Chemical Industries, Ltd.

## Message:

This resin is a photo-curable resin that quickly and three-dimensionally cures by radical polymerization that occurs with electron beam (EB) or ultraviolet ray (UV) irradiation. This resin has been used widely for various applications.

Type:

Acrylic polymer

Characteristics:

Anti-static

Electrically conductive (heat curable type)

Use:

Electrically conductive material

Transparent electrode

General Information		
Features	Antistatic	
	Electrically Conductive	
	Heat Cure	
Uses	Electrical/Electronic Applications	
	Transparent Parts	
Appearance	Blue	
Forms	Liquid	
Additional Information	Nominal Value	Unit
Non-Volatile Content	1.6	%
Uncured Properties	Nominal Value	Unit
Viscosity (25°C)	< 0.010	Pa·s

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

### Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT