Hifax TYC 1168X E BLACK

Polypropylene Copolymer

LyondellBasell Industries

Message:

Hifax TYC 1168X E BLACK is a 12% talc filled PP copolymer, with high melt flow rate, low density and very good surface appearance. The product is available in black color, pellet form.

General Information			
Filler / Reinforcement	Talc filler, 12% filler by weight		
Features	Low density		
	High liquidity		
	Good appearance		
Uses	Car anti-collision bar		
	Application in Automobile Field		
Appearance	Black		
Forms	Particle		
Processing Method	Injection molding		
Physical	Nominal Value	Unit	Test Method
Density (23°C)	0.980	g/cm ³	ISO 1183/A
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	32	g/10 min	ISO 1133
Mechanical	Nominal Value	Unit	Test Method
Tensile Stress (Yield, 23°C)	17.5	MPa	ISO 527-2
Flexural Modulus ¹ (23°C)	1550	MPa	ISO 178/A
NOTE			
1.	1.0 mm/min		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd. Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

