

# Europrene Latice® B 010

Emulsion Styrene Butadiene Rubber

Versalis S.p.A.

## Message:

Europrene Latice B 010 is an aqueous anionic dispersion of a styrene-butadiene copolymer with medium solid content obtained by emulsion polymerisation using fatty acid soap as emulsifier.

### Key Features

Europrene Latice B 010 is mainly blended with other styrene-butadiene latices or natural latex to increase stiffness.

### Main Applications

Europrene Latice B 010 is used as reinforcing latex.

General Information			
Features	Copolymer		
Uses	Blending		
Appearance	White		
Forms	Liquid		
Physical	Nominal Value	Unit	Test Method
Bound Styrene	82.0	%	ASTM D5775
pH	11.5		ASTM D1417
Solids Content	52.0	wt%	ASTM D1417
Brookfield Viscosity <sup>1</sup> (25°C)	25	mPa·s	ASTM D1417
NOTE			
1.	20 rpm		

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

## Recommended distributors for this material

### Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

