NuSil MED-4165

Rubber

NuSil Technology

Message:

NuSil Technology's restricted materials may be considered for use in short-term implant applications, 29 days or less, or for external applications. HCRs can be used for extrusion of tubing and profiles (rod or ribbon), in calendared sheeting for die-cutting, or in compression or transfer molded parts such as balloons, gaskets or o-rings. HCRs are clay-like in the uncured state and when cured generally exhibit very high mechanical properties and low modulus.

HCRs with a peroxide cure system have a long history in implant applications. The cure mechanism can be vinyl specific or non vinyl specific. Non vinyl specific peroxide catalysts are more commonly used with HCRs than vinyl specific peroxide catalysts.

Comments: UNCATALYZED

General Information			
Uses	Washer		
	Pipe fittings		
	Balloon application		
	Profile		
	Medical/nursing supplies		
Agency Ratings	USP Class VI		
Processing Method	Extrusion		
	Resin transfer molding		
	Profile extrusion molding		
	Compression molding		
	Calendering		
Mechanical	Nominal Value	Unit	
Tensile Strength (200% Strain)	3.10	MPa	
Thermoset	Nominal Value	Unit	
Post Cure Time (177°C)	2.0	hr	
Additional Information	Nominal Value	Unit	
Cure System	Peroxide		
Plasticity: 115 mils			
Uncured Properties	Nominal Value	Unit	
Density	1.21	g/cm³	
Curing Time (116°C)	0.083	hr	
Cured Properties	Nominal Value	Unit	
Shore Hardness (Shore A)	65		
Tensile Strength	8.27	MPa	
Tensile Elongation at Break	500	%	
Tear Strength	35.0	kN/m	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533 Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

