MARPOL® PVC GP K65.67

Rigid Polyvinyl Chloride

Marco Polo International, Inc.

Message:

MARPOL® PVC BOTTLE GRADE K 57 is a low molecular weight, general purpose, vinyl suspension resin. This resin has excellent clarity, color and thermal stability. It is suitable for applications where contamination and rigid gel levels are not a concern.

General Information			
Features	General Purpose		
	Good Color Stability		
	Good Thermal Stability		
Uses	General Purpose		
	Piping		
	Windows & Doors		
Processing Method	Extrusion		
	Pipe Extrusion		
Physical	Nominal Value	Unit	Test Method
Apparent Density	0.53	g/cm³	ASTM D1895
K-Value ¹	65.0		DIN 53726
Inherent Viscosity	0.88 to 0.92		ASTM D1243
Particle Size Distribution			ASTM D1921
Pan	< 5.0	%	
Retained on 200 Mesh	< 13	%	
Retained on 40 Mesh	0.0	%	

1. 0.5 g/100 ml Cyclohexanone

< 9.0

2.13

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

%

ppm

ASTM D1243

ASTM D3749

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519 Phone: +86 13424755533

Retained on 60 Mesh

Residual Vinyl Chloride Monomer

Relative Viscosity

NOTE

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

