

DuraFlex 767

Thermoplastic Polyurethane Elastomer (Polyester)

Evermore Chemical Industry Co., Ltd.

Message:

DuraFlex 767 is a Thermoplastic Polyurethane Elastomer (Polyester) (TPU-Polyester) product. It is available in Asia Pacific. Typical application: Consumer Goods. Primary characteristic: low hardness.

General Information			
Features	Low Hardness		
	Shock Absorbent		
Uses	Footwear		
Physical	Nominal Value	Unit	Test Method
Density	0.320 to 0.360	g/cm ³	ASTM D1505
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore C)	57 to 63		ASTM D2240
Additional Information	Nominal Value	Unit	
Composition	767A+767B		
Moulding Times	7.0 to 9.0	min	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material


Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT