Sinpolene MBB3134

Polypropylene

Teknor Apex Asia Pacific PTE. LTD.

Message:

Sinpolene MBB3134 is a polypropylene-based black masterbatch designed specifically for use in injection moulding and sheet extrusion of polypropylene. Sinpolene MBB3134, offers excellent colouring value with superior quality and performance.

Sinpolene MBB3134 is delivered as free flowing pellets for processing convenience. The product should be stored in dry place.

CHARACTERISTICS

* Easy processing

- * High dispersion
- * Good jetness

General Information	
Features	Good UV resistance
Uses	Packaging
	Outdoor application
Agency Ratings	European food contact, not rated
Forms	Particle
Processing Method	Composite
	Injection molding

Physical	Nominal Value	Unit	Test Method	
Specific Gravity	1.12	g/cm³	ASTM D792	
Melt Mass-Flow Rate (MFR) (230°C/21.6				
kg)	10 - 75	g/10 min	ASTM D1238	
Carbon Black Content	40	%	ASTM D1603	
Moisture Content		%	ASTM D3030	
Additional Information				
Recommended dosage: 1 - 3%				

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

