

Eltex® A5006FN1280

High Density Polyethylene Copolymer

INEOS Olefins & Polymers Europe

Message:

Eltex A5006FN1280 is a high density polyethylene . It is a copolymer with a narrow molecular weight distribution primarily intended for the production of tapes from cast and blown films.

Applications:

Tapes from cast and blown films

General Information	
Features	Copolymer
	Narrow Molecular Weight Distribution
Uses	Cast Film
	Film
	Tape
RoHS Compliance	Contact Manufacturer
Forms	Pellets
Processing Method	Blown Film
	Cast Film

Physical	Nominal Value	Unit	Test Method
Density	0.944	g/cm ³	ISO 1183/A
Melt Mass-Flow Rate (MFR) (190°C/5.0 kg)	1.9	g/10 min	ISO 1133
Viscosity ¹ (190°C)	2180000	mPa · s	Internal Method

NOTE

1. Apparent dynamic viscosity, 100/s

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China



WECHAT