Evermore PUR SS-1054F

Polyurethane

Evermore Chemical Industry Co., Ltd.

Message:

Evermore PUR SS-1054F is a Polyurethane product. It is available in Asia Pacific. Typical application: Fabrics/Fibers. Primary characteristic: good flexibility.

General Information			
Features	Aliphatic		
	Dispersible		
	Good Flexibility		
	Low Temperature Flexibility		
	Soft		
Uses	Synthetic Leather		
	Textile Applications		
Elastomers	Nominal Value	Unit	Test Method
Tensile Stress (100% Strain)	3.92 to 5.88	MPa	ASTM D412
Tensile Strength (Yield)	29.4 to 49.0	MPa	ASTM D412
Tensile Elongation (Break)	450 to 700	%	ASTM D412
Fill Analysis	Nominal Value	Unit	Test Method
Melt Viscosity (25.0°C)	50.0 to 90.0	Pa·s	ASTM D3835
Additional Information	Nominal Value	Unit	Test Method
Non-Volatile Content	29 to 31	%	

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

DMF, MEK, TOL

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Solvents

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

